

MATERIAL SAFETY DATA SHEET

Page 1 of 3

Product Name: GRAFFITI Be Gone GRAFFITI REMOVER

Sold By: CONTINENTAL RESEARCH  
P O Box 15204  
St. Louis, MO. 63110

Prepared by: TEC  
Date Prepared: 01/30/02  
Emergency Tel: 800-325-4869

HMIS Rating: Health 2, Flammability 1, Reactivity 0, Special 0  
NFPA Rating: Health 2, Flammability 1, Reactivity 0, Special 0

Degree of Hazard: 0=Least 1=Slight 2=Hazardous 3=Extreme Hazard  
4=Deadly

---

Section II - Hazardous Ingredients/Identity Information

---

Component	OSHA-PEL	ACGIH-TLV	%WT
Trade Secret			

---

Section III - Physical/Chemical Characteristics

---

Boiling Point: 212 OF  
Specific Gravity (Water= 1): 1.07  
Vapor Pressure: NDA  
Melting Point: N/A  
Vapor Density (AIR = 1): Heavier than air  
Evaporation Rate (Water =1): NDA  
Solubility in Water: 100% miscible  
Appearance and Odor: Syrupy tan liquid, low odor  
Percent Volatility: over 70%  
Viscosity: As 1000 cps  
Ph: 11-12

---

Section IV - Fire and Explosion Hazard Data

---

Flash Point (Method Used): Over 2000F  
Upper/Lower Explosion Hazard: NE  
Auto-Ignition Temperature: NE  
Usual Fire and Explosion Hazards: None  
Extinguishing Agents: Foam, dry chemical, water fog or water. Use water spray to cool fire exposed surfaces and to protect personnel. Use extinguishing media appropriate for surrounding fire.

---

Section V - Reactivity Data

---

Stability: Stable

Incompatibility: Avoid contact with acids or oxidizers.  
Hazardous Decomposition products: None known  
Hazardous Polymerization: Will not occur  
Conditions to avoid: Do not mix with any other chemicals.

---

MSDS  
Page 1

Page 2 of 3

---

#### Section VI - Health Hazard Data

---

##### Health Hazards (Effects of Overexposure):

1. Inhalation: Exposure to vapor or spray mist may cause moderate to severe irritation of the respiratory tract. Symptoms may include: headache, nausea, difficulty in breathing.
2. Eyes: Direct contact with eyes may cause moderate to severe eye irritation. The severity of the effects depends on concentration and how soon after exposure the eyes are washed. Symptoms of exposure may include: a stinging sensation, excess tear production, redness and swelling of the conjunctive.
3. Skin: Exposure may cause moderate to severe irritation. The severity of the effects depend on how soon after exposure the skin is washed. Symptoms may include redness, and/or a burning sensation.
4. Ingestion: May cause moderate to severe irritation of the mouth, throat, and gastrointestinal track. Symptoms may include: nausea, headache, dizziness, and abdominal pain.

Carcinogenic: None (as per 29CFR 1910.1200)

##### Emergency and First Aid:

1. Inhalation: Immediately move subject to fresh air. Seek medical attention if irritation or difficulty in breathing persists.
  2. Eyes: Immediately flush eyes with water for at least 15 minutes while holding eye lids open. If irritation persists, seek medical attention. Remove contact lens, if worn.
  3. Skin: Immediately flush skin with water for 15 minutes. Remove any contaminated clothing or shoes. If irritation or redness persists, seek medical attention.
  4. Ingestion: DO NOT induce vomiting. Drink one or two glasses of water. Consult with a physician if any irritations persists.
- Note to Physicians: No specialized procedures. Treat for clinical symptoms.
- 

#### Section VII - Spill Procedures/Special Precautions

---

pills: Keep spectators away. Floor may be slippery. Contain spills with inert materials. Transfer any liquids or absorbed wastes to separate suitable container, for recovery or disposal. Follow protective measures provided under Special Protection Information in Section 8 of this MSDS.

Waste Disposal Method: Dispose of as local and federal regulations require.

Precautions to Be Taken in Handling and Storing: Do not mix with any

other chemicals. Do not freeze. Store between : Minimum 400F. Maximum 1300F. Keep container tightly closed. Do not eat, drink, or smoke while handling material. Wash with soap and water after each use. Observe label instructions.

---

### Section VIII - Special Protection Information

---

Respiratory Protections: Normally not required. If in a confined area without ventilation, and applying by spray, wear suitable respirator (MSHA/NIOSH approved or equivalent).  
Ventilation: Normally not required. If in confined space applying by spray, use local exhaust ventilation.  
Protective Gloves: Neoprene or equivalent solvent and chemical resistant gloves recommended.  
Eye Protection: It is advisable to provide eye protection when using any type of chemical. ANSI Z 87.1 or equivalent splash goggles recommended.

---

MSDS  
PAGE 3  
01/30/02

## MATERIAL SAFETY DATA SHEET

Product Name: GRAFFITI-BE-GONE SHADOW REMOVER

SOLD BY:CONTINENTAL RESEARCH CORP.

P O BOX 15204  
ST. LOUIS, MO 63110  
PHONE 800-325-4869

Prepared by: TEC  
Date Prepared: 01/30/02  
Emergency Tel 800-325-4869

HMIS Rating: Health 2, Flammability 1, Reactivity 0, Special 0  
NFPA Rating: Health 2, Flammability 1, Reactivity 0, Special 0  
Degree of Hazard: 0=Least 1=Slight 2=Hazardous 3=Extreme Hazard 4=Deadly

### Section II-Hazardous Ingredients/Identity Information

Components (C.A.S.#)	OSHA-PEL	ACGIH-TLV	%WT
Trade Secret			

### Section III-Physical/Chemical Characteristics

**Boiling Point:** 212oF  
**Specific Gravity (Water= 1):** 1.09  
**Vapor Pressure:** NDA  
**Melting Point:** N/A  
**Vapor Density (AIR = 1):** Heaver than air  
**Evaporation Rate (Water =1):** NDA  
**Solubility in Water:** 100% miscible  
**Appearance and Odor:** Thin tan liquid, low odor  
**Percent Volatility:** over 80%

**Viscosity:** Over 100 cps  
**PH:** 12

#### Section IV - Fire and Explosion Hazard Data

**Flash Point (Method Used):**Over 200oF

**Upper/Lower Explosion Hazard:** NE

**Auto-Ignition Temperature:** NE

**Usual Fire and Explosion Hazards:** None

**Extinguishing Agents:** Foam, dry chemical, water fog or water. Use water spray to cool fire exposed surfaces and to protect personnel.

Use extinguishing media appropriate for surrounding fire.

#### Section V-Reactivity Data

**Stability:** Stable

**Incompatibility:** Do not mix with acids or oxidizers.

**Hazardous Decomposition products:** None known

**Hazardous Polymerization:** Will not occur

**Conditions to avoid:** Do not mix with any other chemicals.

#### Section VI-Health Hazard Data

##### Health Hazards (Effects of Overexposure):

1. **Inhalation:** Exposure to vapor or spray mist may cause moderate to severe irritation of the respiratory tract. Symptoms may include: headache, nausea, difficulty in breathing.
2. **Eyes:** Direct contact with eyes may cause moderate to severe eye irritation. The severity of the effects depends on concentration and how soon after exposure the eyes are washed. Symptoms of exposure may include: a stinging sensation, excess tear production, redness and swelling of the conjunctive.
3. **Skin:**Exposure may cause moderate to severe irritation. The severity of the effects depend on how soon after exposure the skin is washed. Symptoms may include redness, and/or a burning sensation.
4. **Ingestion:** May cause moderate to severe irritation of the mouth, throat, and gastrointestinal track. Symptoms may include: nausea, headache, dizziness, and abdominal pain.

**Carcinogenic:** None (as per 29CFR 1910.1200)

##### Emergency and First Aid:

1. **Inhalation:** Immediately move subject to fresh air. Seek medical attention if irritation or difficulty in breathing persists.
2. **Eyes:** Immediately flush eyes with water for at least 15 minutes while holding eye lids open. If irritation persists, seek medical attention. Remove contact lens, if worn.
3. **Skin:** Immediately flush skin with water for 15 minutes. Remove any contaminated clothing or shoes. If irritation or redness persists, seek medical attention.
4. **Ingestion:** **DO NOT** induce vomiting. Drink one or two glasses of water. Consult with a physician if any irritations persists.

**Note to Physicians:** No specialized procedures. Treat for clinical symptoms.

#### Section VII-Spill Procedures/Special Precautions

**Spills:** Keep spectators away. Floor may be slippery. Contain spills with inert materials. Transfer any liquids or absorbed wastes

to separate suitable container, for recovery or disposal. Follow protective measures provided under Special Protection Information in Section 8 of this MSDS.

in Section 8 of this MSDS.

**Waste Disposal Method:** Dispose of as local and federal regulations require.

**Precautions to Be Taken in Handling and Storing:** Do not mix with any other chemicals. Do not freeze. Store between: Minimum 40oF. Maximum 130oF. Keep container tightly closed. Do not eat, drink, or smoke while handling material. Wash with soap and water after each use. Observe label instructions.

### **Section VIII-Special Protection Information**

**Respiratory Protections:** Normally not required. If in a confined area without ventilation, and applying by spray, wear suitable respirator (MSHA/NIOSH approved or equivalent).

**Ventilation:** Normally not required. If in confined space applying by spray, use local exhaust ventilation.

**Protective Gloves:** Neoprene or equivalent solvent and chemical resistant gloves recommended.

**Eye Protection:** It is advisable to provide eye protection when using any type of chemical. ANSI Z 87.1 or equivalent splash goggles recommended.

### **GRAFFITI-BE-GONE SHADOW REMOVER**

*This information is furnished without warranty, representation, inducement or License of any kind, except that it is believed accurate to the best of manufacturer's knowledge, or obtained from sources believed to be accurate. Manufacturer does not assume any legal responsibility for reliance on same. Before using any chemical, read its label and product literature to determine suitability for the intended use. NA=Not Applicable NDA=No Data Available NE=Not established.is*