

Double Time

Granular Herbicide

TECHNICAL DATA SHEET



Two powerful herbicides combine to form a double action, time released granular soil sterilant.

Double Time is an excellent product to use when weeds are tall, in sandy soil, or in high rainfall areas. Double Time is effective against all types of plants, grasses and broadleaf weeds.

Diuron provides the initial killing phase to rapidly destroy weeds from the roots up. Bromacil is slow dissolving and provides a long lasting barrier to prevent growth. The weed-killing effects of both ingredients extend throughout the season.

For best results, use Double Time early in the season as a pre-emergent or early post-emergent herbicide.

- **Systematic kill** for roots and foliage keeps plants from returning for up to one growing season.
- **Granular sterilant/non-selective.** No "spray drift" onto desirable plants.
- **Dual actives:** 2% Bromacil and 2% Diuron.
- **Total kill - broad spectrum.**
- **Time released** through root absorption.
- **Use 0.5 to 1 pound per 100 sq. ft..**
- **Safer and easier to use.** No mixing or diluting necessary. Double Time's granular carrier minimizes airborne dusting.
- **Will not contaminate ground water when used as directed.** Resists "leaching".



Used By:

Electric & Telephone Utilities	Military Bases
Railroads	Park Districts
Industrial Facilities	Housing Authorities
Oil/Gas Pipelines	Municipalities
Highway Departments	Schools
Cemeteries	



**CONTINENTAL
RESEARCH
CORPORATION**

HASSLE FREE BUSINESS SINCE 1967

© 2011 Continental Research Corporation. [021411]

Double Time
Granular Weed Killer

- Time Released
- Double Action
- Soil Sterilant
- Nonselective

ACTIVE INGREDIENTS:
Bromacil (5-bromo-3-sec-butyl-6-methyluracil)2.00%
Diuron [3-(3,4-dichlorophenyl)-1,1-dimethylurea]2.00%
OTHER INGREDIENTS:96.00%
TOTAL:100.00%

Contains 0.02 lbs of Bromacil and 0.02 lbs of Diuron per pound of product.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY.

KEEP OUT OF REACH OF CHILDREN.

CAUTION:
See side panel for additional precautionary statements.

NET CONTENTS: 50 LBS (22.6 KGS)

**PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Loaders, applicators, and other handlers must wear: long sleeved shirt and long pants, shoes plus socks, chemical resistant gloves made of any waterproof material. In addition, applicators using tractor drawn spreaders and all loaders must wear a NIOSH-approved respirator with a dust/mist filter with MSHA/NIOSH approval number prefix TC-21C or any N, R, P, or HE filter.

USER SAFETY REQUIREMENTS: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exists, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Users should wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID STATEMENT: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Poison Control Center at 1-800-222-1222 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. Apply this product only as specified on this label.

GENERAL PRECAUTIONS AND RESTRICTIONS: Do not enter or allow others to enter until dusts have settled. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Application with a spoon, a pump-feed backpack spreader or a gravity-feed backpack spreader is prohibited. Do not apply on or near valuable woody or herbaceous plants or on areas where their roots may extend because of possible injury to such plants. Do not use on croplands or any land to be used for subsequent cropping. Keep animals off treated areas. Thoroughly clean spreading equipment with a suitable chemical cleaner before using for other purposes (or do not use same spreading equipment for other purposes). Not to be used on turfgrass at residential sites (including homes, apartment complexes, condominium grounds, daycare facilities, schools, playgrounds, parks, recreational areas, and sports fields). Not to be used to treat ditches and/or ditch banks. Do not exceed an annual maximum application rate of 600 lbs of product (12.0 pounds of active ingredient diuron) per acre per year.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use of this product in certain portions of California, Oregon, and Washington is subject to the January 22, 2004 Order for injunctive relief in Washington Toxics Coalition, et al, v. EPA C01-0143C (W.D.WA). For further information, please refer to www.epa.gov/espp.

This granular weed killer is a non-selective herbicide for controlling a wide range of annual and perennial weeds and grasses. It is recommended only for non-cropland and right-of-way areas such as railroads rights-of-way and industrial areas. Applications of 200-400 pounds of this product per acre usually results in a non-productive condition of the soil for a period of a year

or more. The duration of non-productivity is dependent upon rainfall, soil type and other conditions.

This product should be applied as furnished with a speed spreader, a fertilizer spreader, a shaker type applicator or with any equipment which will distribute the chemical uniformly over the area to be treated. Application with a spoon, a pump-feed backpack spreader or a gravity-feed backpack spreader is prohibited. Do not exceed an annual maximum application rate of 600 lbs of product (12.0 pounds of active ingredient diuron) per acre per year. In areas of high rainfall or dense vegetation, 400-600 pounds of product (8.0-12.0 lbs of active ingredient diuron) per acre may be required. Do not exceed a maximum rate of 600 lbs of product (12.0 pounds of active ingredient diuron) per acre in the areas of high rainfall or dense vegetation. In all other areas for the control of annual and most perennial weeds and grasses; apply at the rate of 200-400 pounds of product (4.0-8.0 lbs of active ingredient diuron) per acre. Do not exceed a maximum application rate of 400 lbs of product (8.0 lbs of active ingredient diuron) per acre. On smaller plots, apply 0.5-0.9 pounds of product (0.010-0.018 pounds of active ingredient diuron) per 100 square feet with a maximum rate per application: 0.9 pounds of product (0.018 pounds of active ingredient diuron) per 100 square feet. Apply a maximum of two applications per year. Minimum retreatment interval: 90 days. To obtain the best results, this product should be applied to the ground where it will be absorbed by the roots. Applications made early in the season have been found to give results superior to applications at a later seasonal date. Product may, however, be applied at any time of the year. Maximum effectiveness in arid regions is obtained when application is made just prior to the rainy season. Users should consult state agricultural experiment stations or extension service weed specialists for recommendations as to use in their particular area.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE STORAGE: Store container in a cool dry location. Do not expose product to temperature extremes. Store product in original shipping container in a locked storage area. Keep container closed when not in use. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product must be disposed of according to applicable Federal, state or local procedures. **CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. **(For containers 50 lbs. or less): Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. **(For containers greater than 50 lbs.): Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

WARRANTY STATEMENT: To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label directions.

EPA REG. NO. 10807-149-9838 EPA EST. NO. 10807-TX-1 09/08
HMIS RATING: Health-1; Flammability-0; Reactivity-0;
Personal Protection: - 1043350

SOLD BY:



CONTINENTAL RESEARCH CORP.

PO Box 15204, St. Louis, MO 63110

1-800-325-4869 • www.crcorp.com

24 Hour Fax: 314-776-6810



**CONTINENTAL
RESEARCH
CORPORATION**

HASSLE FREE BUSINESS SINCE 1967