


O.D.S.

Orange Phenolic Disinfectant Spray

TECHNICAL DATA SHEET



Hospital strength phenolic disinfectant with a pleasant citrus fragrance.

O.D.S. works fast to kill the germs that cause flu, pneumonia, staph infections, tuberculosis, strep throat, cold sores, food poisoning, eye infections, digestive disorders and skin infections. This virucidal spray also eliminates malodors caused by organic waste, diseased tissue, trash receptacles, stale air, smoke, mildew, and many other odors as well.

Phenolic Power Kills:

- | | |
|------------------------------------|-------------------|
| HIV-1 (AIDS Virus) | Staphylococcus |
| Herpes Simplex Virus (Types 1 & 2) | Pseudomonad |
| Influenza A2 (Hong Kong Virus) | Mildew |
| Tuberculosis | Fungus |
| MRSA | Avian Influenza A |

For Use In:

- | | | |
|-----------|---------------|----------------|
| Schools | Hotels/Motels | Businesses |
| Hospitals | Health Clubs | Dental Offices |

Use O.D.S. On:

- | | | | |
|------------|-------------|------------------|-------------------|
| Toilets | Countertops | Office Furniture | Telephones |
| Showers | Table Tops | Light Fixtures | Bath Tubs |
| Faucets | Urinals | Wash Basins | Bed Frames |
| Appliances | Lockers | Cabinets | Waste Receptacles |



Great Citrus Fragrance!



Schedule
Contract GS-07F-0369T



HASSLE FREE BUSINESS SINCE 1967

© 2010 Continental Research Corporation. [061510]

FEATURES, CLAIMS, AND USES

An excellent disinfectant, antimicrobial agent and two-way deodorizer for use on pre-cleaned, hard, nonporous surfaces, including toilets, urinals, bathtubs, shower stalls, seats, benches, lockers, partitions, counters, fixtures, knobs, handles, railings, telephones, furniture, equipment and surfaces which could harbor hazardous microorganisms.

VIROCIDAL - Kills Human Immunodeficiency virus Type 1 (HIV-1); a retrovirus that causes "AIDS" [Acquired Immune Deficiency Syndrome]; Herpes simplex Types 1 and 2, Influenza A2/Hong Kong, Adenovirus Type 5, Vaccinia, Infectious canine hepatitis, Canine distemper, Feline pneumonitis, and Avian Influenza A virus (H5N1).

BACTERICIDAL - Kills these species: Escherichia coli; Pseudomonas aeruginosa; Salmonella enterica; Salmonella schottmuelleri (paratyphoid B); Shigella dysenteriae; Streptococcus pyogenes; Staphylococcus aureus; and Methicillin-resistant Staphylococcus aureus (MRSA).

TUBERCULOCIDAL - Kills Mycobacterium tuberculosis (Tubercle bacilli).

FUNGICIDAL - Kills Trichophyton mentagrophytes ("athlete's foot" fungi; formerly known as T. interdigitale) in appropriate areas such as on shower room floors, locker room benches, and bath mats.

CONTROLS MOLD/MILDEW - Completely inhibits the growth of Aspergillus niger and Penicillium variable fungi on cloth.

SANITIZES - Controls Staphylococcus aureus and Klebsiella pneumoniae on porous fabric and leather surfaces, such as on shoes, athletic mats, athletic shoes and other athletic equipment.

DEODORIZES TWO WAYS - Pleasant fragrance quickly suppresses existing unpleasant odors from many sources. Controls microorganisms that could continue to create foul putrefactive odors.

FOR USE IN: Industrial, Institutional, Commercial, Medical, and Residential facilities, equipment, and vehicles, including hospitals; ambulances; nursing homes; medical and dental offices and clinics; veterinary offices and animal areas; schools; laboratories; hotels and motels; restaurants and cafeterias; food storage, processing, packaging, handling, and serving establishments and equipment; offices; stores; factories and manufacturing plants; and apartment buildings and homes.

FOR USE ON: Most glass, porcelain, ceramic, enameled, painted, plastic (such as ABS, acrylic, latex rubber, phenolic resin, polyamide, polycarbonate, polyester, polyethylene, polyolefin, polypropylene, polystyrene, polytetrafluorethylene, polyurethane, and vinyl), rubber, metal, sealed leather, wood, grout, and concrete, and similar nonporous surfaces.

PHYSICAL/CHEMICAL HAZARDS: Flammable. Contents under pressure. Keep away from heat, sparks, pilot lights, and flames. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

GENERAL: Shake container well before each use and hold it upright while spraying. For use on pre-cleaned, hard nonporous surfaces; not for use on humans or animals. Do not contaminate foods/drinks/feeds. Not recommended for use on waxed/polished surfaces, water-based "latex" paint, shellac, cellulose (such as rayon) or other alcohol-sensitive materials.

TO KILL HIV-1 (Human Immunodeficiency virus Type 1; AIDS virus) ON PRECLEANED SURFACES/OBJECTS in health care or other settings with inanimate environmental surfaces/objects associated with the potential for transmission of HIV-1 and likely to be soiled with blood/body fluids, follow these additional **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: PERSONAL PROTECTION** - Barrier protection items such as disposable latex gloves, gowns, masks, and eye coverings should be worn when handling items soiled with blood/body fluids.

CLEANING PROCEDURE - Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of this product as a disinfectant. **CONTACT TIME** - Same as for disinfecting. **DISPOSAL OF INFECTIOUS MATERIALS** - Blood/body fluids and other materials removed from or used to clean surfaces/objects should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

FOR DISINFECTING, MILDEW CONTROL, SANITIZING, AND DEODORIZING OF CLEAN, NON-FOOD CONTACT SURFACES: Hold container upright about 6 to 8" (1.5 m) from surface and spray until target area is thoroughly wetted. Let air dry. Complete disinfection and tuberculocidal activity require a contact time of 10 minutes at approximately 68°F (20°C). Sanitization requires a 5 minute contact time at about 72°F (22°C). For mildew control, repeat application when necessary.

TO DEODORIZE AND FRESHEN ROOM AIR: Spray upward toward center and corners of room, keeping spray opening at least 3 ft. (1m) from surfaces.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

WARNING: Causes substantial but temporary eye injury. Harmful if absorbed through skin. Do not get in eyes or on skin or clothing. Wear long-sleeved shirt and long pants, protective eyewear (safety glasses), shoes and socks, and chemical resistant gloves (such as or made out of any water proof material). Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing.

FIRST AID

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a Poison Control Center or doctor for treatment advice.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a Poison Control Center or doctor for treatment advice.

HOT LINE NUMBER

In case of an emergency call toll free 1-800-222-1222. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

GENERAL: Do not contaminate other materials (including foods/drinks/feeds/water) during transport, use, storage, and disposal. If damaged or leaking, soak up and wrap any waste, then dispose of as below.

STORAGE: Keep in a cool, dry, locked area inaccessible to children and away from sources of heat and ignition (including flames, sparks, hot surfaces, and sunlight).

DISPOSAL: Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

INGREDIENTS (CAS#): Ethyl Alcohol (64-17-5), Water (7732-18-5), Propane/n-Butane (68476-86-8).

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

HMIS Ratings: Health - 1, Flammability - 3, Reactivity - 1, Personal Protection - A.

24 Hour Customer Hotline
1-800-325-4869



**CONTINENTAL RESEARCH
CORPORATION**

PO Box 15204, St. Louis, MO 63110-0204
24 Hour Fax: (314) 776-6810



**Virucidal* • Tuberculocidal
Fungicidal • Bactericidal
Pseudomonicidal • Staphylocidal
Sanitizes Fabric and Leather
Controls Mold/Mildew Fungi**

(Specific species/agents listed on back panel.)

KILLS MRSA

**KILLS AVIAN INFLUENZA A VIRUS H5N1
HOSPITAL-USE AND BROAD-SPECTRUM
DISINFECTANT AND ANTIMICROBIAL AGENT**

**KILLS HIV-1 (AIDS VIRUS) AND HERPES
SIMPLEX TYPES 1 & 2 VIRUSES ON
PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS
PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS.**

**FOR USE ON PRECLEANED, HARD, NONPOROUS,
NONFOOD-CONTACT SURFACES IN/ON INDUSTRIAL,
INSTITUTIONAL, COMMERCIAL, MEDICAL, AND RESIDENTIAL
FACILITIES, EQUIPMENT, AND VEHICLES.**

**Authorized by USDA for use in Federally inspected
meat and poultry plants.**

ACTIVE INGREDIENTS:

2-Phenylphenol	0.199%
4-tert-Amylphenol	0.046%
Ethanol	53.000%
INERT INGREDIENTS	46.755%
TOTAL	100.000%

EPA Reg. No. 44446-67-9838

EPA Est. No. 44446-TX-1

NET WT. 16.5 OZ. (468 g)

KEEP OUT OF REACH OF CHILDREN

CAUTION:

See Additional Cautions on Back Panel.



**Continental
Research
Corporation**